



Item No. \_\_\_\_\_

Quantity \_\_\_\_\_

**Model No.**  
**7030, 7030-240,**  
**7030-2, 7030-2240**  
**Cone Bakers**

AIA File No. \_\_\_\_\_



NEMCO Cone Bakers feature digital controls for fast, convenient, precision baking of versatile waffle cones. Heavy-duty, lock-down, fixed, seven-inch aluminum grids provide uniform thickness, while flat-ring heating elements bake to a taste-tempting, overall golden brown. Preheats to ideal temperature in just 12 minutes and provides up to 60, 7" diameter cones per hour, per grid. Easy-to-read LED display counts down baking time. Audible alarm signals the minute baking is complete. Coiled, spring-type handle remains cool for fast, easy handling.

**Standard Features:**

- Digital Programmable controls with count down timer
- Standard LED display and electronic audible alarm
- Top Mounted Control Panel, minimizes mess
- Single or Dual grids available
- Constructed of brushed stainless steel
- Coiled Spring "Cool Touch" handles
- Cast Aluminum Grids
- Feet - Rubber approx. 5/16" high & adjustable
- 120 & 240 Volt models have UL, CUL, & NSF listing




**Standard Features:**

- 77005 Cone Form Roller, Makes 7" Finished Cone
- 77006 Walking Sundae Mold

NEMCO Food Equipment, LTD.  
301 Meuse Argonne  
P.O. Box 305  
Hicksville, OH 43526  
Phone (419) 542-7751  
FAX (419) 542-6690  
[www.nemcofoodequip.com](http://www.nemcofoodequip.com)

# Model No. 7030, 7030-240, 7030-2, 7030-2240

AIA File No.



## Specifications:

Model No.	Grids	Width Inches/(cm)	Depth Inches/(cm)	Height* Inches/(cm)	Voltage	Rated Wattage	Nominal Amps	Operating Temperature (pre-heat time)	NEMA Configuration	Unit Weight lbs./(Kg)	Shipping Weight lbs./(Kg)
7030	1 - 7"	10 (25.4)	15 1/4 (38.7)	8 1/8 (20.7)	120	890	7.4 (12 minutes)	250 - 410°	5-15P plug	19 1/2 (8.9)	23 (10.4)
7030-240	1 - 7"	10 (25.4)	15 1/4 (38.7)	8 1/8 (20.7)	240	890	3.7 (12 minutes)	250 - 410°	6-15P plug	19 1/2 (8.9)	23 (10.4)
7030-2	2 - 7"	19 1/2 (49.5)	15 1/4 (38.7)	8 1/8 (20.7)	120	1780	14.8 (12 minutes)	250 - 410°	5-15P plug	38 (17.3)	40 (18.1)
7030-2240	2 - 7"	19 1/2 (49.5)	15 1/4 (38.7)	8 1/8 (20.7)	240	1780	7.4 (12 minutes)	250 - 410°	6-15P plug	38 (17.3)	40 (18.1)

\* Height is with the top closed; Cone Baker open = 17 1/2" (44.5 cm)

Optional Accessories	Description
<input type="checkbox"/> 77005	Cone Form Roller, makes 7" finished cone
<input type="checkbox"/> 77006	Walking Sundae Mold

### Typical Specifications

NEMCO cone bakers shall be constructed of brushed stainless steel. They shall have uncoated aluminum grids. All units shall have a full sheath ring heating element with a maximum temperature of 410°F, a programmable control board, with LED display, and a "Cool Touch" coiled spring handle. 120V models shall come with a NEMA 5-15P plug and the 240V models shall have a NEMA 6/15P plug attached to the 42" cords. All machines shall be United States and Canadian Underwriter's Laboratory certified and National Sanitation Foundation listed.



NEMCO Food Equipment, LTD.  
301 Meuse Argonne, P.O. Box 305  
Hicksville, OH 43526  
Phone (419) 542-7751  
FAX (419) 542-6690  
www.nemcofoodequip.com

Suburban Bowery



10/08 Printed in U.S.A.