

BACK BAR COOLER

MODEL DBB60-H2
Swinging Glass Door



TECHNICAL SPECIFICATIONS

Voltage/Frequency
Refrigerant
Refrigerant
Type of Defrost
Interial Material
Exterior Material
Temperature Range °F
Compressor Power (HP)
Nema Config.
NEMA5-15P



PRODUCT FEATURES

- The side mount compressor structure is placed in an easy access area, provides quick and convenient access.
- R290 Natural Refrigerant promotes faster cool down and efficient energy consumption.
- BB Precision digital temperature controls allow pinpoint accuracy with temperatures from 33-38°F.
- Stainless steel top, sealed interior floors, and rounded cabinet corners for easy cleaning.
- Adjustable, heavy-duty epoxy coated shelves.
- Constructed of commercial-grade body panels in black textured finish to fit all decors and living spaces.
- Featured in a large size and double pane tempered glass block UV light to safely keep all types of drinks ready to serve.
- LED interior lighting for bright product display.
 - Optional casters with breaks available upon request for better cleaning and mobility.





Los Angeles | San Francisco | Dallas Houston | Florida | Chicago | New Jersey


1-800-931-8628

(a) info@dukersusa.com

www.DukersUSA.com

DETAILS &SPECIFICATIONS

BACK BAR COOLER



MODEL DBB60-H2

Rated Voltage 115V Rated Frequency 60Hz 284W **Total Input Power Total Current** 2.66A **Total Capacity** 15.24 cu ft 4-5 **Climatic Category Protection Type** Design Pressure High Side **385 PSIG Design Pressure Low Side 150 PSIG Insulation Blowing Gas C-Pentane** R290/3.53 oz Refrigerant











MODEL	EXTERNAL DIMENSION	PACKAGING DIMENSION	PRODUCT NET	# OF	40FT
	WXDXH (INCHES)	WXDXH (INCHES)	WEIGHT	SHELVES	(PCS)
DBB60-H2	56 7/8"x24 3/4"x38 3/4"	63 1/2"x26 3/8"x43 1/4"	220 lbs	6	48



Los Angeles | San Francisco | Dallas Houston | Florida | Chicago | New Jersey



